

AUTOMATION TECHNOLOGIES

BERRSORT  
EXPRESS



bermak

## Berrsort Express

Berrsort Express is a sliding tilt tray sorter designed to handle small parcel items. Berrsort Express can be vertical or horizontal and can sort both left and right sides.

Efficient Feeding - Compact Design - Modular Structure

## Berrsort Express Vertical


Berrsort Express Vertical has a sorting capacity of 8.600 products per hour. With an 85% throughput rate, Berrsort Express V ensures smooth and efficient handling. This compact sorter can handle a wide range of product types and shapes (polybag, mail, box, etc.), which makes it an innovative solution for the e-commerce and parcel sectors. It is also used in the cosmetics, textile, and shoe sectors. Thanks to its vertical structure, it allows double-sided separation and also can be designed single-sided. According to company needs, it can be expanded such as automatic or manual infeed options. Owing to its modular and compact design, it can be easily assembled and installed. As an outcome, it enables a short delivery time.

Sorter Type	Vertical	Horizontal	
Sorter Speed	1.1	Up to 1.25	m/s
Sorter Capacity	8.600	17.500	tray/hour
Product Types	Small Parcel, Textile, Shoes, Cosmetics, Pharmaceutical	Small Parcel, Textile, Shoes, Cosmetics, Pharmaceutical	
Min Product Dimension	50 x 50	50 x 50	mm
Max Product Dimension	380 x 580	380 x 580	mm
Tray Dimension (W x L)	400 x 600	400 x 600	mm
Tray Axis Length	459	520	mm
Barcode Reader Specifications	Camera Reading (1 or 3-sided)	Camera Reading (1 or 3-sided)	set
PLC Controls	Yes	Yes	
Interface with WMS	Yes	Yes	
Volume Measurement	Yes	Yes	
Software	Yes	Yes	




## Berrsort Express Horizontal

Berrsort Express is a solution loop-shaped and both (left-right) sides can be used for the sorting process. By adding many functions to Berrsort Express H, such as cross-dock function, automatic feeding, volume measurement, weight measurement, it has reached a capacity of 17,200 products per hour. The parcels can be fed from 2 infeed points (cross-dock). That provides to take maximum efficiency on the minimum area due to the shape of the Berrsort Express. This compact sorter can handle a wide range of product types and shapes (polybag, mail, box, etc.), which makes it the innovative solution for the e-commerce and parcel sectors. It is also used in the cosmetics, textile, and shoe sectors.



# Our Projects Worldwide


We have successfully integrated the Berrmak solution into hundreds of different locations, quickly delivering value and efficiency gains. Our team are experts in understanding your challenges and how Berrmak can help you overcome them.



# After Sales Service Support WORLDWIDE

One of Berrmak's strengths is our worldwide after-sales assistance.


Differently from many other realities, we guarantee a complete 360-degree assistance during the whole purchasing process and especially after it: our incredible team provides engineering, technical, and software support, both online and in-person and whenever you need it.



4 Continents




200 More than 200 projects



25 Countries



+ 1000+ product integrations



19 Countries

25 More than 25 years of experience

**PREVENTIVE MAINTENANCE**  
Regular inspections to prevent issues before they occur.



**CORRECTIVE MAINTENANCE**  
Expert repairs when problems arise.



**SPARE PARTS MANAGEMENT**  
Efficient handling of replacement components.



**EMERGENCY SUPPORT**  
Rapid response when you need it most.



**SOFTWARE UPDATES**  
Latest software to keep systems current.



**SYSTEM HEALTH CHECKS**  
Regular diagnostics to ensure optimal performance.



# berrmak


"Automation Technologies"




## Berrmak Türkiye

İkitelli OSB, Hürriyet Bulvarı,  
Deparko Plaza, Kat:3, No:9-10, 34490  
Başakşehir, İstanbul  
T : +90 212 486 2579

w : [www.berrmak.com](http://www.berrmak.com)

Berrmak  

Berrmak Official  



## Berrmak Germany

Berrmak GmbH  
Friedrichstraße 95  
10117 Berlin  
T : +49 (0)30 253 26363

w : [www.berrmak.de](http://www.berrmak.de)